

Ningbo Ofitech Business Machines Co.,Ltd

Add: KatFat Group, No. 599, Qiming Road, Yinzhou Incubation Center,
NINGBO, CHINA 315105
Tel: +86-574-55665196
Email: sales@smartofitech.com
LinkedIn: Sharky Gao

Ofitech Mexico

Add: Carretera Tijuana Tecate Lote 23 Manzana 23, Paso del Aguila
TECATE BC, MEXICO 21503
Contact: Ms. Jeanett Villaescusa
Cell: (52) 665-133-6314
Email: mx.vp@smartofitech.com

Ofitech USA

Add: 7207 North Loop E, Houston, TX 77028
Contact: Ms. Kathleen Bertoldi
Cell: 626-232-1080
Email: us.vp@smartofitech.com

Ofitech UK

Add: 70 Gracechurch Street, London EC3V 0HR
Contact: Mr. Jas Jassi
Cell: 07353 074 611
Email: uk.vp@smartofitech.com

www.smartofitech.com

ofitech®

ELECTRIC STANDING DESK

Manufactured in
China & Mexico



Work Secure



Healthy



Smart



Follow us on



OEM & ODM Service
Flexible MOQ



BIFMA





Ofitech China Factory

- ◎ **52,000+ (m²)**
Production Area
- ◎ **100+**
Esteemed Clients Worldwide
- ◎ **250,000+**
Monthly Capacity
- ◎ **50+**
Countries Sales Network
- ◎ **20+**
Manufacturing Experience
- ◎ **< 25**
Days Lead Time from PO to CRD



Ofitech Mexico Factory

- ◎ **1 Hour**
From Ensenada Port
- ◎ **Lower Cost**
Optimized Supply Chain
- ◎ **7-10 Days**
Door-to-Door Delivery
- ◎ **Local Service**
North American Support
- ◎ **0**
Tariff Free
- ◎ **China + Mexico**
Dual Manufacturing Network

ED20

Treadmill Workstation



Sit Stand Sport
Healthy Workstation System

- 9-key Touch Panel
- Dual motor frame
- Foldable Treadmill

Ofitech®

ED20

- Dual Motor
- 2 Stages
- Erected Rectangular Column



- Height Range: 760-1240mm
- Speed: 30mm/s
- Loading: 170KG
- Bracket: 530mm
- Column Size: 45×75/50×80mm
- Treadmill Speed: 1-6km/h
- Treadmill Max load capacity: 120KG
- Power: 110-240V/50Hz



Frame Color Options



- Anti-collision System
- Sound Level: ≤50dB
- 9-key Touch Panel
- Warranty: 5 Years



Ofitech®



ES18-AC

Portable Single-leg Standing Desk

- ✓ With casters for easy mobility
- ✓ Paddle-Type Hand Controller; child lock
- ✓ Anti-Drop Felt Barrier
- ✓ Hidden Under-Desk Drawer



ES18-AC

- Single Motor
- 1 Leg
- 2 Stages
- Erected Oval Column

- **Height Range:** 790-1050mm
(include desktop)
- **Speed:** 30mm/s
- **Max Loading:** 35KG
- **Column Size:** 45×75/50×83mm
- **Feet:** Y-shaped structure,
Sheet metal forming
- **Drawer:** 285*200mm
- **Power:** 100-240V/50-60Hz

- ✓ Anti-collision System
- ✓ Sound Level: ≤50dB
- ✓ Paddle-Type Hand Controller
- ✓ Warranty: 5 Years



ED10

FAMILY SHARED STANDING DESK



- Adjustable range from 90° to 180° writing, reading, drawing—diverse satisfaction
- The auxiliary tabletop is folded away as privacy panel-lower body privacy protection

ED10

Dual Motor 2 Stages

Erected Rectangular Column

- Height Range: 750-1230mm
(include tabletop)
- Speed: 30mm/s
- Main Board Max Loading: 110KG
- Bracket: 570mm
- Column Size: 45×75/50×80mm
- Foldable Board Max Loading: 10KG
- Foldable Board Adjustable Angles:
90°-180°, 15° per step
- Drawer: 527×280mm
- Power: 100-240V/50-60Hz



Frame Color Options



- Anti-collision System
- Sound Level: ≤50dB
- 7 buttons/3 Memory Settings(H03)
- Warranty: 5 Years





Frame Color Options

ES6-F

Single Motor 2 Stage
Inverted Rectangular Column

- ★ Height Range: 700-1160mm
- ★ Speed: 20mm/s
- ★ Max Loading: 60KG
- Frame Range: 869-1169mm
- Bracket: 378mm
- Column Size: 40×60 | 45×65mm
- Power: 100-240V/50-60Hz



- ★ Anti-collision System
- ★ Sound Level: ≤50dB
- ★ 7 buttons/3 Memory Settings(H03)
- ★ Warranty: 3 Years



Frame Color Options

ES12-F

Single Motor 2 Stage
Inverted Square Column

- ★ Height Range: 700-1160mm
- ★ Speed: 20mm/s
- ★ Max Loading: 60KG
- Frame Range: 945-1365mm
- Bracket: 412mm
- Column Size: 55×55(R7.5)
60×60mm(R10)
- Power: 100-240V/50-60Hz



- ★ Anti-collision System
- ★ Sound Level: ≤50dB
- ★ 7 buttons/3 Memory Settings(H03)
- ★ Seating Fatigue Alert
- ★ Warranty: 3 Years





Frame Color Options

ES13-F

Single Motor 2 Stage

Inverted Square Column

★ Height Range: 700-1160mm

★ Speed: 20mm/s

★ Max Loading: 60KG

Frame Range: 945-1365mm

Bracket: 412mm

Column Size: 55×55 | 60×60mm

Power: 100-240V/50-60Hz



Frame Color Options

ES14-F

Single Motor 2 Stage

Erected Rectangular Column

★ Height Range: 715-1175mm

★ Speed: 20mm/s

★ Max Loading: 80KG

Frame Range: 950-1540mm

Bracket: 500mm

Column Size: 40×60 | 45×65mm

Power: 100-240V/50-60Hz



- ★ Anti-collision System
- ★ Sound Level: ≤50dB
- ★ 5 buttons/3 Memory Settings(H04)
- ★ Warranty: 3 Years



- ★ Anti-collision System
- ★ Sound Level: ≤50dB
- ★ 7 buttons/3 Memory Settings(H03)
- ★ Seating Fatigue Alert
- ★ Warranty: 3 Years





Frame Color Options

ED7-F

Dual Motor 2 Stage
Inverted Rectangular Column

- ☆ Height Range: 700-1160mm
- ☆ Speed: 30mm/s
- ☆ Max Loading: 110KG
- Frame Range: 890-1500mm
- Bracket: 570mm
- Column Size: 40×60 | 45×65mm
- Power: 100-240V/50-60Hz



Frame Color Options

ED8-F

Dual Motor 2 Stage
Erected Rectangular Column

- ☆ Height Range: 700-1160mm
- ☆ Speed: 30mm/s
- ☆ Max Loading: 110KG
- Frame Range: 890-1500mm
- Bracket: 570mm
- Column Size: 40×60 | 45×65mm
- Power: 100-240V/50-60Hz



- ☆ Anti-collision System
- ☆ Sound Level: ≤50dB
- ☆ 7 buttons/3 Memory Settings(H50), Seating Fatigue Alert
- ☆ Warranty: 5 Years



- ☆ Anti-collision System
- ☆ Sound Level: ≤50dB
- ☆ 7 buttons/3 Memory Settings(H50), Seating Fatigue Alert
- ☆ Warranty: 5 Years





Frame Color Options

ED9-F

Dual Motor 2 Stage

Erected Rectangular Column

★ Height Range: 730-1210mm

★ Speed: 30mm/s

★ Max Loading: 120KG

Frame Range: 995-1690mm

Bracket: 570mm

Column Size: 45×75 | 50×80mm

Power: 100-240V/50-60Hz



- ★ Anti-collision System
- ★ Sound Level: ≤50dB
- ★ 6 buttons/3 Memory Settings(H52)
- ★ Warranty: 5 Years



Frame Color Options

ED11-F

Dual Motor 3 Stage

Erected Rectangular Column

★ Height Range: 650-1290mm

★ Speed: 38mm/s

★ Max Loading: 120KG

Frame Range: 995-1690mm

Bracket: 570mm

Column Size: 40×70 | 45×75 | 50×80mm

Power: 100-240V/50-60Hz



- ★ Anti-collision System
- ★ Sound Level: ≤50dB
- ★ 6 buttons/3 Memory Settings(H52)
- ★ Warranty: 5 Years



ET4-FL

Triple Motor 3 Stage
Erected Rectangular Column

- ★ Height Range: 650-1290mm
- ★ Speed: 38mm/s
- ★ Max Loading: 150KG
- Frame Range: 990-1720mm
- Bracket: 570mm
- Column Size: 40×70 | 45×75 | 50×80mm
- Power: 100-240V/50-60Hz



★ Anti-collision System ★ Sound Level: ≤50dB
★ 7 buttons/3 Memory Settings(H50), ★ Warranty: 5 Years Seating Fatigue Alert

ETL US CE ErP BIFMA COMPLIANT REACH RoHS

ED11-FH

Four Motor 3 Stage
Erected Rectangular Column

- ★ Height Range: 650-1290mm
- ★ Speed: 38mm/s
- ★ Max Loading: 120KG
- Frame Range: 995-1690mm
- Bracket: 570mm
- Column Size: 40×70 | 45×75 | 50×80mm
- Power: 100-240V/50-60Hz



★ Anti-collision System ★ Sound Level: ≤50dB
★ 7 buttons/3 Memory Settings(H50), ★ Warranty: 5 Years Seating Fatigue Alert

ETL US CE ErP BIFMA COMPLIANT REACH RoHS



EDP-B2F

Dual Motor 2 Stage
Erected Rectangular Column

- ☆ Height Range: 700-1200mm
- ☆ Speed: 30mm/s
- ☆ Max Loading: 160kg
- Frame Range: 1040-1700mm
- Bracket: 570mm
- Column Size: 45×75 | 50×80 T=1.5
- Power: 100-240V/50-60Hz



- ☆ Anti-collision System
- ☆ Sound Level: ≤50dB
- ☆ 6 buttons/3 Memory Settings(H52)
- ☆ Warranty: 5 Years



EDP-B3F

Dual Motor 3 Stage
Erected Rectangular Column

- ☆ Height Range: 560-1220mm
- ☆ Speed: 38mm/s
- ☆ Max Loading: 160KG
- Frame Range: 1040-1700mm
- Bracket: 570mm
- Column Size: 40×70 | 45×75 | 50×80 T=1.5
- Power: 100-240V/50-60Hz



- ☆ Anti-collision System
- ☆ Sound Level: ≤50dB
- ☆ 6 buttons/3 Memory Settings(H52)
- ☆ Warranty: 5 Years





EDP-F3F

Dual Motor 3 Stage

Erected Square Column

★ Height Range: 560-1220mm

★ Speed: 38mm/s

★ Max Loading: 160KG

Frame Range: 1040-1700mm

Bracket: 570mm

Column Size: 60×60 | 65×65 | 70×70 T=1.5

Power: 100-240V/50-60Hz



Frame Color Options



EG2

Dual Motor 2 Stage

Erected Square Column

★ Height Range: 720-1180mm

★ Speed: 30mm/s

★ Max Loading: 50KG

Desktop: Tempered glass (5mm)

Column Size: 50×50 | 60×60mm

Power: 100-240V/50-60Hz



Frame Color Options



- ★ Anti-collision System
- ★ Sound Level: ≤50dB
- ★ 6 buttons/3 Memory Settings (H52)
- ★ Warranty: 5 Years



- ★ Anti-collision System
- ★ 7 buttons/3 Memory Settings/Lock Button
- ★ Hidden Drawer Design
- ★ Wireless charging for mobile phone





Q10

- Gas Spring
- 2 Stage
- Square Column

- Height Range: 720-1080mm
- Max Loading: 7KG/Dynamic
10KG/Static

Feet: 448×530mm
 Desktop Size: 480×650×15mm
 Column Size: 40×40 | 50×50mm
 G.W.:9.4KG



Frame Color Options



Q15

- Gas Spring
- 2 Stage
- Square Column

- Height Range: 150-480mm
- Desktop Size: 800×400mm
- Keyboard Desktop Size: 300×750mm
- G.W.:9.4KG



Frame Color Options

Feet



DJ-BG01
宽度/Width
60mm



DJ-GD01
宽度/Width
80mm




DJ-LS01
宽度/Width
85mm



DJ-X01
宽度/Width
70mm

Control Panel



H03



H04



H05



H80

Tabletop Color



White



Oak



Rustic Brown



Black

CPU Holder



MS01
Single Monitor Mount



MS02
Single Monitor Mount



MD01
Double Monitor Mount



CH01
CPU Holder



CT02
Cable Management
Tray



CT01
Cable Management
Spine

